

Product End of Life Instructions

Harmony Cable with PCBA

Remote control cable, Harmony SCU, 3 m for panel





Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide

⚠ WARNING

- HAZARD OF ARC FLASH OR FIRE**
- Disconnect battery terminals before disassembly
 - Avoid any electrical connection between the terminals
- Failure to follow these instructions can result in death or serious injury.**



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm²	45.5	PCBA
To be depolluted	2	Cable (low current)	430	Cable
Other		Plastic and Others	213.5	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	This remote controller module connection cable enables separate mounting of the controller module and the screen module on DIN rail.
Product reference	HMIZSURDP
Additional similar product references	HMIZSURDP10 HMIZSURDP5
Total representative product mass	689 g
Representative product dimensions	267mm x 184mm x 72mm
Accessories	No
Date of information release	07-2025

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
Recyclability potential	25% <p>The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).</p>

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com

ENVEOLI2504018_V1

Published by Schneider Electric

© 2025 - Schneider Electric – All rights reserved

07-2025