

Data Sheet | Item Number: 2009-404

Push-in type wire jumper; 0.75 mm²; insulated; 110 mm long; gray

<https://www.wago.com/2009-404>



Color: ■ gray

Notes

Safety Information

Push down the wire jumper until fully inserted!

Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	800 V
Rated impulse withstand voltage (III / 3)	8 kV
Rated current	9 A

Connection Data

Connection 1

Solid conductor	0.75 mm ²
-----------------	----------------------

Mechanical data

Cable length of push-in type wire jumpers	110 mm
---	--------

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Fire load	0.022 MJ
Weight	2 g

Commercial data

Product Group	2 (Terminal Block Accessories)
PU (SPU)	100 (10) pcs
Packaging type	Box
Country of origin	DE
GTIN	4050821458890
Customs tariff number	85444290900

Product Classification

UNSPSC	39121421
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 10.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2009-404	↓
---	-------------------

Documentation

Bid Text

2009-404	19.02.2019	xml 2.77 KB	↓
2009-404	28.04.2017	doc 23.50 KB	↓

CAD/CAE-Data

CAD data

2D/3D Models 2009-404	↓
-----------------------	-------------------

CAE data

EPLAN Data Portal 2009-404	↓
WSCAD Universe 2009-404	↓

Installation Notes

Commoning



Push down the wire jumper (2009-402) until fully inserted. For rewiring, lift the jumper with an operating tool at the notch provided for this purpose on the jumper.

Commoning



Push-in type wire jumpers common terminal blocks over longer distances and across multiple levels.