



Data Sheet | Item Number: 2773-500

Mounting carrier; for single- and double-row con.; 2773 Series; for DIN-35 rail mounting/screw mounting; orange

<https://www.wago.com/2773-500>



Color: ■ orange

Notes

Note

One single carrier can hold up to 30 clamping units in a very narrow space. Previously, this was only possible using rail-mount terminal blocks.

Additional benefits:

- Mount carrier onto DIN-35 rail or via screws – easily and quickly
- Accommodate three 4 mm² (12 AWG) 2773 Series Connectors in a single carrier
- Easily exchange connectors
- Large marking area for self-adhesive marking strips or for direct marking with permanent felt-tip pen

Physical data

Width	18 mm / 0.709 inches
Height	84 mm / 3.307 inches

Mechanical data

Mounting type	DIN-35 rail Screw mount
Suitable	for single- and double-row connectors (2773 Series)

Material data

Note (material data)	Information on material specifications can be found here
Color	orange
Fire load	0.376 MJ
Weight	12.6 g

Commercial data

ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	50 (10) pcs
Packaging type	Box
Country of origin	CN
GTIN	4055143837439
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search
Environmental Product Compliance 2773-500

CAD/CAE-Data

CAD data
2D/3D Models 2773-500

1 Compatible Products

1.1 Optional Accessories



1.1.1 Marking

1.1.1.1 Marking strip



[Item No.: 210-834](#)
 Marking strips; on reel; 5 mm wide; plain;
 Self-adhesive; white

Installation Notes



To adjust the mounting carrier, unlock the latch via operating tool (5.5 mm blade) and move the clamping slide to the required width by rotating the tool.

The mounting carrier is suitable for both connector widths.

Subject to changes. Please also observe the further product documentation!

Current addresses can be found at: www.wago.com