

**Data Sheet | Item Number: 870-436**  
Jumper; from 1 to 6; insulated; light gray

<https://www.wago.com/870-436>



Color: ■ light gray

Similar to illustration

### Electrical data

#### Ratings per IEC/EN

Rated current 18 A

#### Ex information

Rated current (Ex e II) 13.5 A

### Physical data

Width 29 mm / 1.142 inches  
Height 2.5 mm / 0.098 inches  
Jumper assignment 1-6

### Material data

Note (material data) [Information on material specifications can be found here](#)  
Color light gray  
Fire load 0.032 MJ  
Weight 1.8 g

### Commercial data

PU (SPU) 25 (25) pcs  
Packaging type Bag  
Country of origin DE  
GTIN 4066966274714  
Customs tariff number 85366990990

Product Classification	
UNSPSC	39121421
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 10.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

## Downloads

### Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 870-436	<a href="#">↓</a>

## Documentation

Bid Text			
870-436	19.02.2019	xml 2.52 KB	<a href="#">↓</a>
870-436	04.01.2018	doc 23.50 KB	<a href="#">↓</a>



## CAD/CAE-Data

CAD data	
2D/3D Models 870-436	<a href="#">↓</a>

CAE data	
EPLAN Data Portal 870-436	<a href="#">↓</a>
WSCAD Universe 870-436	<a href="#">↓</a>
ZUKEN Portal 870-436	<a href="#">↓</a>

## Installation Notes

### Commoning



Commoning with push-in type jumper bars:  
Two parallel jumper slots are accommodated in one terminal block.

Push jumper bars down firmly until fully inserted. When using multipole bars, push alternately on the right and then left side until installed.  
Push-in type jumper bars 1 – 3 – 5 – 7 or 1 – 4 – 7 upon request

Subject to changes. Please also observe the further product documentation!

---

Current addresses can be found at: [www.wago.com](http://www.wago.com)