

**Data Sheet | Item Number: 870-439**  
Jumper; from 1 to 9; insulated; light gray

<https://www.wago.com/870-439>



Color: ■ light gray

Similar to illustration

### Electrical data

#### Ratings per IEC/EN

Rated current 18 A

#### Ex information

Rated current (Ex e II) 13.5 A

### Physical data

Width	44 mm / 1.732 inches
Height	2.5 mm / 0.098 inches
Jumper assignment	1-9

### Material data

Note (material data)	<a href="#">Information on material specifications can be found here</a>
Color	light gray
Fire load	0.048 MJ
Weight	2.6 g

### Commercial data

PU (SPU)	25 (25) pcs
Packaging type	Bag
Country of origin	DE
GTIN	4066966270655
Customs tariff number	85366990990

Product Classification	
UNSPSC	39121421
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 10.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant, No Exemption

## Downloads

### Environmental Product Compliance

Compliance Search	
Environmental Product Compliance 870-439	<a href="#">↓</a>

## Documentation

Bid Text			
870-439	19.02.2019	xml 2.52 KB	<a href="#">↓</a>
870-439	04.01.2018	doc 23.50 KB	<a href="#">↓</a>


## CAD/CAE-Data

CAD data	
2D/3D Models 870-439	<a href="#">↓</a>

CAE data	
EPLAN Data Portal 870-439	<a href="#">↓</a>
WSCAD Universe 870-439	<a href="#">↓</a>
ZUKEN Portal 870-439	<a href="#">↓</a>

## Installation Notes

### Commoning



Commoning with push-in type jumper bars:  
Two parallel jumper slots are accommodated in one terminal block.

Push jumper bars down firmly until fully inserted. When using multipole bars, push alternately on the right and then left side until installed.  
Push-in type jumper bars 1 – 3 – 5 – 7 or 1 – 4 – 7 upon request

Subject to changes. Please also observe the further product documentation!

---

Current addresses can be found at: [www.wago.com](http://www.wago.com)