

Color:  transparent**Technical data**

Suitable	for wire diameter 6 ... 10 mm
Delivery form	Component
Properties	for one 211-821 marker
Printing device	Smart Printer (thermal transfer printer)

**Physical data**

Length	23 mm
--------	-------

**Mechanical data**

Mounting type	Sliding on conductor
---------------	----------------------

**Material data**

Color	transparent
Material	Polyvinyl chloride
Adhesive information	without adhesive
Halogen-free	No
Weight	1.1 g
Fire load	0 MJ

**Environmental requirements**

Ambient temperature (storage)	+5 ... +40 °C
Ambient temperature (operation)	-15 ... +70 °C
Relative humidity	40 ... 80 %

**Commercial data**

eCl@ss 10.0	27-40-04-01
eCl@ss 9.0	27-40-04-01
ETIM 9.0	EC001530
ETIM 8.0	EC001530
PU (SPU)	200 pcs
Packaging type	Bag
Country of origin	IT
GTIN	4055143381215
Customs tariff number	39269097900

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Downloads****Environmental Product Compliance**

## Compliance Search

Environmental Product  
Compliance 211-925**1 Compatible Products****1.1 Required Accessories****1.1.1 Marking****1.1.1.1 Marker**


Item No.: 211-821

Marker; for Smart Printer; for use in nozzles; Length: 23 mm; white

**Installation Notes****Application**

Slide the marker into the marking sleeve receptacle. Replacing the marker is also possible after the conductor has been terminated.

## Application



Compress the sleeve and slide it onto the conductor to be marked.