

30 010 809



- Ausladung 151 mm
- starrer Auslauf
- Adapter mit AG 3/4"
- Bohrungsdurchmesser 35 mm
- Rosette Ø 60 mm
- Durchfluss max. 5,7 I/min
- bleifrei


,	٩	Dark Platinum gebürstet	30 010 809-99
		Chrom	30 010 809-00
		Platin gebürstet	30 010 809-06
		Platin	30 010 809-08
	۳	Dark Chrome	30 010 809-19
		Light Gold gebürstet	30 010 809-27
		Messing gebürstet (23kt Gold)	30 010 809-28
		Bronze gebürstet	30 010 809-42
		Champagne gebürstet (22kt Gold)	30 010 809-46
		Champagne (22kt Gold)	30 010 809-47




30 010 809

mm [inches]





Durchflussdiagramm



Codes & Standards

DIN 4109 ISO 3822 Scottish Water **UK Water Supply Byelaws** Regulations

Ü-Zeichen



VAIA

30 010 809

Zertifikate

LGA_18


WRAS_240102



30 010 809

Produktversion ab 4/1/2024

Ersatzteile für die anderen Oberflächenvarianten finden Sie hier: Chrom







30 010 809

Ersatzteilstückliste

Produktversion ab 4/1/2024

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
	90 20 66 025 00-99	Griff - Dark Platinum gebürstet	5	30