


# Product datasheet

Specifications



Insulated flexible bar, PrismaSeT P and G, 400 A, busbar size 24 x 5mm, length 1800mm, set of 1

LVS04746

EAN Code: 3606481868251

**Price: 157,40 EUR**

## Main

Range	PrismaSeT
Range of product	PrismaSeT G PrismaSeT P
Product or component type	Insulated flexible bar
product name	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P enclosure
Accessory / separate part category	Current distribution accessory
Standards	IEC 61439-2, inside enclosure IEC 61439-1, inside enclosure
Product certifications	ASTA

## Complementary

installation description	Cubicle Floor-standing enclosure Wall-mounted enclosure
[Ie] rated operational current	400 A
Busbar cross section	24 x 5 mm
Length	1800 mm
Net weight	2.48 kg
Quantity per set	Set of 1

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	12.0 cm
Package 1 Length	193.5 cm
Package 1 Weight	2.554 kg
Unit Type of Package 2	P2M
Number of Units in Package 2	100
Package 2 Height	29.5 cm
Package 2 Width	120.0 cm
Package 2 Length	200.0 cm

Rates duty January 2016

---

Package 2 Weight	278.0 kg
------------------	----------

## Contractual warranty

---

Warranty (in months)	18
----------------------	----

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

## Use Again

### Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

Yes

Technical Illustration

Dimensions

---

