


Product datasheet

Specifications



Insulated flexible bar, PrismaSeT P and G, 250 A, busbar size 20 x 3mm, length 1800mm, set of 1

LVS04743

EAN Code: 3606481868244

Price: 91,30 EUR

Main

Range	PrismaSeT
Range of product	PrismaSeT G PrismaSeT P
Product or component type	Insulated flexible bar
product name	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P enclosure PrismaSeT Prisma iPM L enclosure PrismaSeT Prisma iPM M enclosure Linergy Linergy FM device feeder
Accessory / separate part category	Current distribution accessory
Standards	IEC 61439-2, inside enclosure IEC 61439-1, inside enclosure
Product certifications	ASTA

Complementary

Cubicle-device connection	Linergy FM distribution block
installation description	Cubicle Floor-standing enclosure Wall-mounted enclosure
Installed device	ComPact: NSX160 ComPact: NSX250 ComPact: INS250 ComPact: INV250 EasyPact: CVS160...250 Linergy FM 200 A
[Ie] rated operational current	250 A
Busbar cross section	20 x 3 mm
Length	1800 mm
Net weight	1.68 kg
Quantity per set	Set of 1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	11.500 cm
Package 1 Length	193.000 cm

Rates duty January 2016

Package 1 Weight	1.561 kg
Unit Type of Package 2	P2M
Number of Units in Package 2	130
Package 2 Height	34.000 cm
Package 2 Width	120.000 cm
Package 2 Length	200.000 cm
Package 2 Weight	227.930 kg

Contractual warranty

Warranty (in months)	18
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

Yes

Technical Illustration

Dimensions



- All dimensions are approximate and are in
- Also see technical documentation.