



Color: ■ silver-colored

Similar to illustration

Electrical data

Ratings per IEC/EN

| | |
|---------------|------|
| Rated current | 32 A |
|---------------|------|

Physical data

| | |
|-------------------|----------------------|
| Pin spacing | 10 mm / 0.394 inches |
| Jumper assignment | 1-2-3-4-5-6-7-8-9-10 |

Mechanical data

| | |
|----------|-------------------------------------|
| Suitable | for 745 Series (4 mm ²) |
|----------|-------------------------------------|

Material data

| | |
|----------------------|--|
| Note (material data) | Information on material specifications can be found here |
| Color | silver-colored |
| Contact material | Copper alloy |
| Contact Plating | Tin |
| Fire load | 0 MJ |
| Weight | 5.5 g |

Commercial data

| | |
|-----------------------|--------------------------------|
| Product Group | 4 (Printed Circuit Connectors) |
| PU (SPU) | 150 (50) pcs |
| Packaging type | Box |
| Country of origin | CH |
| GTIN | 4044918303385 |
| Customs tariff number | 85366990990 |

Product Classification

| | |
|-------------|----------------------|
| UNSPSC | 39121421 |
| eCl@ss 10.0 | 27-14-11-40 |
| eCl@ss 9.0 | 27-44-04-92 |
| ETIM 9.0 | EC000489 |
| ETIM 8.0 | EC000489 |
| ECCN | NO US CLASSIFICATION |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Downloads

Environmental Product Compliance

| | |
|--|---|
| Compliance Search | |
| Environmental Product Compliance 745-280 | ↓ |

Documentation

| | | | |
|------------------------|------------|-------------------|---|
| Additional Information | | | |
| Technical Section | 03.04.2019 | pdf 2027.26 KB | ↓ |

CAD/CAE-Data

| | |
|----------------------|---|
| CAD data | |
| 2D/3D Models 745-280 | ↓ |

Installation Notes



Inserting a comb-style jumper bar.



To insert a comb-style jumper bar, push it down using a screwdriver until it hits the backstop – 745 Series.



To remove the jumper bar, lift it up using a screwdriver – 745 Series.