



Features


- These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency 100% improvement in effectiveness (at 368nm). Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output).

Product Overview

Product name	Lynx-L 36W BL368
Technology	Special applications
Lamp shape	U shape
Cap/Base	2G11
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
ETIM Class	EC002962
E-number FI	4940710
Light colour	BL368 Blacklight
Photobiological Risk Group	RG0
Wattage (W)	36
Power consumption (W)	36
Dimmable	No
Average life (Nominal) (h)	15000
Product EAN number	5410288257105
Dimming method	N/A

Lynx-L 36W BL368
0025710

Technical drawings



Data table

GENERAL DATA

Product name	Lynx-L 36W BL368
Technology	Special applications
Lamp shape	U shape
Cap/Base	2G11
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
Operating temperature range (°C)	-15°C...+50°C
ETIM Class	EC002962



Lynx-L 36W BL368
0025710

E-number FI	4940710
-------------	---------

OPTICAL DATA

Light colour	BL368 Blacklight
Adjustable chromaticity	N
Photobiological Risk Group	RG0

ELECTRICAL DATA

Power consumption (W)	36
Wattage (W)	36
Primary Supply/Product voltage - min (V)	230
Primary Supply/Product voltage - max (V)	240
Control gear required	Yes
Dimmable	No
Dimming method	N/A

LIFETIME DATA

Average life (Nominal) (h)	15000
----------------------------	-------

PHYSICAL DATA

Nominal Product Height (mm)	404
Nominal Product Diameter (mm)	44
Weight (kg)	0.095

PACKAGING

Product EAN number	5410288257105
Packaging single length / height (cm)	42.53
Packaging single width (cm)	4.63
Packaging single depth (cm)	2.37
DUN14 (inner)	15410288257102
Units per outer package	10
Packaging outer length / height (cm)	44.6
Packaging outer width (cm)	14.0



Lynx-L 36W BL368
0025710

Packaging outer depth (cm)	10.0
----------------------------	------

SAFETY DATA

Lamp mercury content (mg)	3.5
Optimal operating condition (°C)	-15-50
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling - Insect attraction
Dry applications use only	No
Suitable for household illumination	No
Safety message	Not suitable for household