

Data Sheet | Item Number: 221-941

Jumper; for conductor entry; 2-way; insulated; dark gray

<https://www.wago.com/221-941>



Color: ■ dark gray



Electrical data

Ratings per IEC/EN

Nominal voltage (III/3)	400 V
Rated current	41 A

Physical data

Width	12.3 mm / 0.484 inches
Height	10.74 mm / 0.423 inches
Depth	23.9 mm / 0.941 inches
Jumper assignment	1-2

Mechanical data

Use	with locking function
-----	-----------------------

Material data

Note (material data)	Information on material specifications can be found here
Color	dark gray
Insulation material (main housing)	Polyamide (PA66)
Fire load	0 MJ
Weight of insulation material	0.45 g
Weight	2.9 g

Environmental requirements

Continuous operating temperature	-60 ... +105 °C
----------------------------------	-----------------

Commercial data

PU (SPU)	5 pcs
Packaging type	Bag
Country of origin	CN
GTIN	4055144067873
Customs tariff number	85366990990

Product Classification

UNSPSC	39121421
ETIM 9.0	EC000489
ETIM 10.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product
Compliance 221-941



Documentation

Bid Text

221-941	xml 2.95 KB	
221-941	docx 27.49 KB	

CAD/CAE-Data

CAD data

2D/3D Models 221-941



Installation Notes

Commoning



Extending the N and PE (ground) distribution via jumper

Commoning



Insert the jumper without a locking function into open clamping units.

Commoning




Without a locking function:
The jumper without a locking function is plugged into the splicing connectors.

Commoning



Remove the locking mechanism for intentional jumper removal.



Remove the jumper from open clamping units.