

## Eaton CH30J1

Eaton Bussmann series CH modular fuse holder, 30 A, Single-pole, Class J, Tin-plated copper clip, Thermoplastic housing, Panel, 35 mm DIN rail, 600 Vac/dc

### General specifications

<b>PRODUCT NAME</b>	Eaton Bussmann series CH modular fuse holder
<b>CATALOG NUMBER</b>	CH30J1
<b>UPC</b>	051712630825
<b>EAN</b>	5027590161817
<b>PRODUCT LENGTH/DEPTH</b>	0.001 in
<b>PRODUCT HEIGHT</b>	0.001 in
<b>PRODUCT WIDTH</b>	0.001 in
<b>PRODUCT WEIGHT</b>	2.7875 lb
<b>WARRANTY</b>	Not Applicable
<b>COMPLIANCES</b>	RoHS Compliant CE Marked
<b>CERTIFICATIONS</b>	Contact Manufacturer UL Listed CSA Certified
<b>PRODUCT TYPE</b>	Modular fuse holder

## Electrical rating

<b>AMPERAGE RATING</b>	30 A
<b>VOLTAGE RATING</b>	600 Vac, 600 Vdc

## General information

<b>CLASS</b>	Class J
<b>MOUNTING METHOD</b>	Panel 35 mm DIN rail

## Physical details

<b>MATERIAL</b>	Tin-plated copper clip Thermoplastic housing
<b>NUMBER OF POLES</b>	Single-pole
<b>OPERATING TEMPERATURE - MAX</b>	85 °C
<b>OPERATING TEMPERATURE - MIN</b>	85 °C

## Resources

	<a href="#">eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf</a>
CATALOGS	<a href="#">Bussmann series complete full line catalog no. 1007</a> <a href="#">Bussmann series full line catalog 1007, section 8 fuse blocks and holders</a>
CERTIFICATION REPORTS	<a href="#">Eaton Bussmann EU Declaration of conformity 93-68-EEC2301</a>
MULTIMEDIA	<a href="#">Bussmann series Fuseology</a>
SPECIFICATIONS AND DATASHEETS	<a href="#">Eaton Specification Sheet - CH30J1</a> <a href="#">CH30J1~30AJ MODULAR FUSEHOLDER SINGLE POLE</a>
TECHNICAL DATA SHEETS	<a href="#">Bussmann series Class J CH series modular fuse holders data sheet no. 2144</a>
TECHNICAL SERVICE BULLETINS	<a href="#">Datasheet - FNQ-30</a>

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc** Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

