

28 012 979



- spray head Ø 120mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 6.8 l/min (at 3 bar)
- Function from: 6 l/min
- 1/2" connection
- inherently safe from back flow
- with anti-scale system


**Notes:**

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Gold (PVD)	28 012 979-37 0010
	Chrome	28 012 979-00 0010
	Brushed Platinum	28 012 979-06 0010
	Platinum	28 012 979-08 0010
	Dark Chrome	28 012 979-19 0010
	Light Gold (PVD)	28 012 979-26 0010
	Brushed Light Gold (PVD)	28 012 979-27 0010
	Brushed Durabronze (23kt Gold)	28 012 979-28 0010
	Matte Black	28 012 979-33 0010
	Brushed Dark Brass (PVD)	28 012 979-39 0010
	Brushed Bronze (PVD)	28 012 979-42 0010
	Brushed Dark Bronze (PVD)	28 012 979-43 0010
	Brushed Champagne (22kt Gold)	28 012 979-46 0010
	Champagne (22kt Gold)	28 012 979-47 0010
	Brushed Chrome	28 012 979-93 0010
	Brushed Dark Platinum	28 012 979-99 0010

28 012 979

mm [inches]



Codes & Standards

DIN 4109

EN 1112

ISO 3822

Ü-Zeichen

Certificates and sustainability

DVGW\_DW-  
6517DN0

LGA\_29

28 012 979

Parts for other  
finishes can be found  
here: [Chrome](#)

